

IV

Annexes I to IV

ANNEX

Authors and Expert Reviewers

This annex should be cited as:

IPCC, 2012: Authors and expert reviewers annex. In: *Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation* [Field, C.B., V. Barros, T.F. Stocker, D. Qin, D.J. Dokken, K.L. Ebi, M.D. Mastrandrea, K.J. Mach, G.-K. Plattner, S.K. Allen, M. Tignor, and P.M. Midgley (eds.)]. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change (IPCC). Cambridge University Press, Cambridge, UK, and New York, NY, USA, pp. 545-553.

Argentina

Vicente Barros, CIMA/Universidad de Buenos Aires
Ines Camilloni, CIMA/Universidad de Buenos Aires
Hernan Carlino, Universidad Torcuato Di Tella
Mario Nunez, CIMA/Universidad de Buenos Aires
Matilde Rusticucci, Universidad de Buenos Aires
Haris Eduardo Sanahuja, Senior Consultant
Pablo Suarez, Boston University, Red Cross/Red Crescent Climate Centre
Carolina Vera, CIMA/Universidad de Buenos Aires

Australia

Jonathan Abrahams, World Health Organization
Lisa Alexander, The University of New South Wales
Julie Arblaster, National Center for Atmospheric Research, Australian Bureau of Meteorology
Jon Barnett, Melbourne University
Ian Carruthers, National Climate Change Adaptation Research Facility
Bob Cechet, Geoscience Australia
Lynda Chambers, Australian Bureau of Meteorology
John Church, Commonwealth Scientific and Industrial Research Organization
Paul Della-Marta, Partner Reinsurance Company
Amy Dumbrell, Australian Government Department of Climate Change and Energy Efficiency
Jill Edwards, Australasian Fire and Emergency Service Authorities Council
Ailie Gallant, University of Melbourne
John Handmer, Centre for Risk and Community Safety, RMIT University
Mark Hemer, Commonwealth Scientific and Industrial Research Organization
Adriana Keating, RMIT University
Monique Ladds, RMIT University
Padma Narsey Lal, International Union for Conservation of Nature-Oceania
Yun Li, Commonwealth Scientific and Industrial Research Organisation
Kathleen McInnes, Commonwealth Scientific and Industrial Research Organization, Marine and Atmospheric Research
Neville Nicholls, Monash University, School of Geography and Environmental Science
Lauren Amy Rickards, University of Melbourne
Anthony Swirepik, Australia Government Department of Climate Change and Energy Efficiency
Frank Thomalla, Macquarie University
Richard Thornton, Bushfire Cooperative Research Centre
Blair Trewin, Australian Bureau of Meteorology
Anya M. Waite, University of Western Australia
Xiaoming Wang, Commonwealth Scientific and Industrial Research Organisation
Penny Whetton, Commonwealth Scientific and Industrial Research Organisation
Joshua Whittaker, RMIT University

Austria

Stefan Hochrainer, International Institute for Applied System Analysis
Helmut Hojesky, Bundesministerium fur Land-und Forstwirtschaft, Umwelt und Wasserwirtschaft
Klaus Radunsky, Umweltbundesamt GmbH
Petra Tschakert, Pennsylvania State University

Bangladesh

Md. Sjarjul Islam, North South University
Tarik ul Islam, United Nations Development Programme-Bangladesh
Alimullah Miyan, South Asian Disaster Management Centre, International University of Business, Agriculture, and Technology
Ainun Nishat, BRAC University
Ataur Rahman, Centre for Global Environmental Culture, International University of Business, Agriculture, and Technology

Belgium

Johan Bogaert, Flemish Government

Lieven Bydekerke, VITO – Flemish Institute for Technological Research
Cathy Clerbaux, Universite Libre de Bruxelles and CNRS France
Luc Feyen, Joint Research Centre, European Commission
Leen Gorissen, VITO – Flemish Institute for Technological Research
Julien Hoyaux, Agence Wallonne de l’Air et du Climat
Philippe Marbaix, Université Catholique de Louvain
Anne Mouchet, Université de Liege
Andrea Tilche, European Commission Directorate
Hans van de Vyvere, Royal Meteorological Institute of Belgium
Jean-Pascal van Ypersele, Université Catholique de Louvain
Martine Vanderstraeten, Belgian Federal Science Policy
Patrick Willems, Katholieke Universiteit Leuven

Botswana

Pauline Dube, University of Botswana

Brazil

Andre Odenbreit Carvalho, Environmental Policy and Sustainable Development
Jose Marengo, National Institute for Space Research, Earth System Science Centre
Jose Domingos Gonzales Miguez, Tecnologia Commission for Global Climate Change
Carlos Nobre, Ministry of Science and Technology
Vinicius Rocha, Operador Nacional do Sistema Elétrico
Maria Assuncao Silva Dias, University of Sao Paulo

Canada

Heather Auld, Environment Canada
Anik Beaudoin, Foreign Affairs and International Trade Canada
Peter Berry, Climate Change and Health Office, Health Canada
Marie Boehm, Agriculture and Agri-Food Canada
Roy Brooke, United Nations
Ross Brown, Environment Canada at Ouranos
Stephen Burridge, Foreign Affairs and International Trade Canada
Ian Burton, University of Toronto
Elizabeth Bush, Environment Canada
John Clague, Simon Fraser University
J. Graham Cogley, Trent University
Neil Comer, Environment Canada
John Cooper, Health Canada
Thea Dickinson, Burton Dickinson Consulting
Karen Dodds, Environment Canada
Jimena Eyzaguirre, National Round Table on the Environment and the Economy
Donald Forbes, Natural Resources Canada
Jim Frehs, Health Canada
Nathan P. Gillett, Environment Canada
Sunling Gong, Environment Canada
Christian Gour, Foreign Affairs and International Trade Canada
Patrick Hebert, Foreign Affairs and International Trade Canada
Ole Hendrickson, Environment Canada
Matt Jones, Environment Canada
Dan Jutzi, Environment Canada
Viatcheslav V. Kharin, Environment Canada
Grace Koshida, Environment Canada
Paul Kovacs, Institute for Catastrophic Loss Reduction
Beth Lavender, Foreign Affairs and International Trade Canada
Donald Lemmen, Natural Resources Canada
Guilong Li, Environment Canada
Brad Little, Environment Canada
John Loder, Fisheries and Oceans Canada
Heather Low, Foreign Affairs and International Trade Canada
Katie Lundy, Environment Canada
Gordon McBean, Institute for Catastrophic Loss Reduction
Brian Mills, Environment Canada
Seung-Ki Min, Environment Canada

Monirul Mirza, Environment Canada
 Niall O'Dea, Natural Resources Canada
 Michael Ott, Fisheries and Oceans Canada
 William Perrie, Fisheries and Oceans Canada
 Paul Pestieau, Environment Canada
 Caroline Rodgers, Clean Air Partnership, Toronto
 Slobodan Simonovic, University of Western Ontario
 Sharon Smith, Natural Resources Canada
 Ronald Stewart, University of Manitoba
 John Stone, Carleton University
 Roger B. Street, UK Climate Impacts Programme
 Kit Szeto, Environment Canada
 Richard Tarasofsky, Foreign Affairs and International Trade Canada
 Martin Tremblay, Indian and Northern Affairs Canada
 Liette Vasseur, Brock University
 Elizabeth Walsh, Natural Resources Canada
 Xiaolan Wang, Environment Canada
 Bin Yu, Environment Canada
 Xuebin Zhang, Environment Canada
 Francis Zwiers, Pacific Climate Impacts Consortium, University of Victoria

Chile

Paulina Aldunce, University of Chile
 Daniel Barrera, Ministry of Agriculture
 Gonzalo Leon, Ministry of Environment
 Alejandro León, Universidad de Chile
 Sebastian Vicuna, Pontificia Universidad Catolica de Chile

China

Xing Chen, Nanjing University
 Ying Chen, Chinese Academy of Social Sciences
 Qin Dahe, China Meteorological Administration
 Shibo Fang, Chinese Academy of Meteorological Sciences
 Qiang Feng, Chinese Academy of Sciences
 Ge Gao, National Climate Center, China Meteorological Administration
 Daoyi Gong, State Key Laboratory of Earth Surface Processes and Resource Ecology
 Anhong Guo, Agrometeorological Center of National Meteorological Centre
 Tong Jiang, China Meteorological Administration
 Jianping Li, Institute of Atmospheric Physics, Chinese Academy of Sciences
 Jing Li, Beijing Normal University
 Ning Li, Beijing Normal University
 Erda Lin, Chinese Academy of Agricultural Sciences
 Hongbin Liu, China Meteorological Administration
 Xinhua Liu, Severe Weather Prediction Center of National Meteorological Center
 Houquan Lu, National Meteorological Center
 Xianfu Lu, United Nations Framework Convention on Climate Change
 Yali Luo, Chinese Academy of Sciences
 Wenjun Ma, Shanghai Jiao Tong University
 Huixin Meng, Institute for Urban and Environment Studies
 Jiahua Pan, Chinese Academy of Social Sciences
 Gubo Qi, College of Humanities and Development Studies
 Fumin Ren, China Meteorological Administration
 Guoyu Ren, Chinese Academy of Social Sciences
 WU Shaohong, Institute of Geographical Sciences, Chinese Academy of Sciences
 Shangbai Shi, Chinese Academy of Social Sciences
 Ying Sun, China Meteorological Administration
 Changke Wang, China Meteorological Administration
 Dongming Wang, Policy Study
 Jianwu Wang, Chinese Academy of Social Sciences
 Ming Wang, Academy of Disaster Reduction and Emergency Management
 Xiaoyi Wang, Institute of Sociology
 Yongguang Wang, China Meteorological Administration
 Fengying Wei, China Meteorological Administration

Jet-Chau Wen, National Yunlin University of Science and Technology
 Xiangyang Wu, Research Centre for Sustainable Development
 Liyong Xie, Shenyang Agricultural University
 Wei Xu, State Key Laboratory of Earth Surface Processes and Resource Ecology
 Yinlong Xu, Chinese Academy of Agricultural Sciences
 Zheng Yan, Institute of Urban and Environmental Studies
 Saini Yang, Beijing Normal University
 Tao Ye, State Key Lab of Earth Surface Processes and Resource Ecology
 Yi Yuan, National Disaster Reduction Center of China
 Yin Yunhe, Institute of Geographical Sciences, Chinese Academy of Sciences
 Panmao Zhai, Chinese Academy of Meteorological Sciences
 Chenyi Zhang, China Meteorological Administration
 Zhao Zhang, State Key Laboratory of Earth Surface Processes and Resource Ecology
 Zong-Ci Zhao, National Climate Center
 Guangsheng Zhou, China Meteorological Administration
 Hongjian Zhou, National Disaster Reduction Center of China
 Tao Zhou, State Key Laboratory of Earth Surface Processes and Resource Ecology
 Tianjun Zhou, Chinese Academy of Sciences, Institute of Atmospheric Physics
 Furong Zhu, Ningxia Economic Research Center
 Xukai Zou, China Meteorological Administration

Colombia

Ana Campos-Garcia, Consultant
 Omar-Dario Cardona, Universidad Nacional de Colombia
 Carmen Lacambra, Cambridge Coastal Research Unit
 Pedro Simon Lamprea Quiroga, Colombian Institute of Hydrology, Meteorology, and Environmental Studies
 Walter Vergara, Inter-American Development Bank
 Gustavo Wilches-Chaux, Universidad Andina Simon Bolivar

Cook Islands

Arona Ngari, Cook Islands Meteorological Service

Costa Rica

Allan Lavell, Programme for the Social Study of Risk and Disaster
 Roberto Villalobos Flores, Instituto Meteorologico Nacional

Cuba

Raul J. Garrido Vazquez, Ministry Science, Technology and Environment
 Tomas Gutierrez Perez, Instituto de Meteorologia
 Avelino G. Suarez, Institute of Ecology and Systematic, Cuban Environmental Agency

Cyprus

Silas Michaelides, Ministry of Agriculture, Natural Resources, and Environment

Denmark

Kirsten Halsnaes, Risø DTU
 Torkil Jonch Clausen, DHI
 Anne Mette Jorgensen, Centre Danish Meteorological
 Karen G. Villholth, GEUS, Geological Survey of Denmark and Greenland

Egypt

Fatma El Mallah, League of Arab States
 Wadid Fawzy Erian, Arab Center for the Studies of Arid Zones and Dry Lands
 Amal Saad-Hussein, National Research Centre
 Adel Yasseen, Ain Shams University, Institute of Environmental Research and Studies

El Salvador

Luis Ernesto Romano, Centro Humboldt Nicaragua

Finland

Timothy Carter, Finnish Environment Institute
 Hilppa Gregow, Finnish Meteorological Institute

Simo Haanpää, Aalto University
 Pirkko Heikinheimo, Prime Minister's Office of Finland
 Susanna Kankaanpää, HSY Helsinki Region Environmental Services Authority
 Sanna Luhtala, Ministry of Agriculture and Forestry
 Markku Niinistö, Ministry for Foreign Affairs
 Hannu Raitio, Finnish Forest Research Institute
 Karoliina Saarniharjo, United Nations Framework Convention on Climate Change
 Kristiina Sääntti, Finnish Meteorological Institute
 Heikki Tuomenvirta, Finnish Meteorological Institute
 Elina Vapaavuori, Finnish Forest Research Institute
 Hanna Virta, Finnish Meteorological Institute

France

Franck Arnaud, Ministry of Ecology, Sustainable Development, Transport, and Housing
 Slimane Bekki, Institut Pierre Simon Laplace, Laboratoire Atmospheres, Milieux, Observations Spatiales
 Nicolas Beriot, Ministry of Ecology, Sustainable Development, Transport, and Housing
 Olivier Bommelaer, Ministry of Ecology, Sustainable Development, Transport, and Housing
 Olivier Boucher, Met Office Hadley Centre
 Paul-Henri Bourrellet, French Association for Disaster Risk Reduction
 Jean-Marie Carrière, Météo-France
 Fabrice Chauvin, Météo-France
 Chantal Claud, Institut Pierre-Simon, Laboratoire de Meteorologie Dynamique
 Fabio D'Andrea, Institut Pierre-Simon, Laboratoire de Meteorologie Dynamique
 Sylvie de Smedt, Ministry of Ecology, Sustainable Development, Transport and Housing
 Henri Decamps, Centre National de la Recherche Scientifique
 Pascale Delecluse, Météo-France
 Michel Deque, Météo-France
 Pierre-Yves Dupuy, Service Hydrographique et Oceanographique de la Marine
 Nicolas Eckert, Cemagref
 Rene Feunteun, French Association for Disaster Risk Reduction
 JC Gaillard, The University of Auckland
 Francois Gerard, French Association for Disaster Risk Reduction
 Marc Gillet, Météo-France
 Pascal Giro, IUCN
 Frederic Grelot, Cemagref
 Delphine Grynszpan, UK Health Protection Agency
 Eric Guilyardi, Institut Pierre Simon Laplace, Laboratoire D'Océanographie et du Climat
 Stephane Hallegatte, CIRED and Météo-France
 Sylvie Joussau, Paris Consortium on Climate
 Reza Lahidji, Groupement de Recherches en Gestion a HEC
 Michel Lang, Cemagref
 Goneri Le Cozannet, Bureau de Recherches Geologiques et Minieres
 Jean-Michel Le Quentrec, French Association for Disaster Risk Reduction
 Antoine Leblois, CIRED
 Alexandre Magnan, Institut for Sustainable Development and International Relations
 Eric Martin, Météo-France
 Olivier Mestre, Météo-France
 David Meunier, Ministry of Ecology, Sustainable Development, Transport, and Housing
 Hormoz Modaresi, Bureau of Geological and Mining Research
 Roland Nussbaum, Mission Risques Naturels
 Sylvie Parey, EDF-France
 Cedric Peinturier, Ministry of Ecology, Sustainable Development, Transport, and Housing
 Michel Petit, Conseil General de L'industrie, de L'énergie et des Technologies
 Pierre Picard, Ecole Polytechnique
 Serge Planton, Météo-France
 Valentin Przyłuski, Centre International de Recherche sur l'Environnement et le Développement
 Jean-Luc Salagnac, Centre Scientifique et Technique de Batiment
 Bernard Seguin, INRA
 Karen Sudmeier-Reiux, University of Lausanne, IUCN Commission on Ecosystems Management

Nicolas Taillefer, Centre Scientifique et Technique de Batiment
 Jean-Philippe Torterotot, Cemagref
 Robert Vautard, Institut Pierre Simon Laplace, Laboratoire des Sciences du Climat et de l'Environnement
 Jean-Philippe Vidal, Cemagref
 Vincent Viguié, Centre International de Recherche sur l'Environnement et le Développement
 Pascal Yiou, Laboratoire des Sciences du Climat et de l'Environnement

Germany

Gotelind Alber, Women for Climate Justice
 Christoph Bals, Germanwatch
 Hubertus Bardt, Cologne Institute for Economic Research
 Andreas Baumgärtner, Project Management Agency of DLR, German IPCC Coordination Office
 Paul Becker, German Weather Service
 Joern Birkmann, UN University Institute for Environment and Human Security
 Hans-Georg Bohle, University of Bonn
 Hans Gunter Brauch, Freie Universitaet Berlin
 Michael Bründl, WSL Institute for Snow and Avalanche Research SLF
 Achim Daschkeit, German Federal Environment Agency
 Carmen de Jong, University of Savoy
 Thomas Deutschländer, German Meteorological Service
 Paul Dostal, Project Management Agency of DLR
 Dirk Engelbart, Federal Ministry of Transport, Building and Urban Development
 Eberhard Faust, Munich Reinsurance Company
 Roland Fendler, German Federal Environment Agency
 Tobias Fuchs, German Weather Service
 Hans-Martin Fuessel, European Environment Agency
 Stefan Goessling-Reisemann, University of Bremen
 Robert Grassmann, Deutsche Welthungerhilfe e.V.
 Edeltraud Guenther, Technische Universität Dresden
 Josef Haider, KfW Development Bank
 Angela Michiko Hama, United Nations International Strategy for Disaster Reduction
 Sven Harmeling, Germanwatch
 Fred Fokko Hattermann, Potsdam Institute for Climate Impact Research
 Gabriele Hegerl, University of Edinburgh
 Hans-Joachim Herrmann, German Federal Environment Agency
 Anne Holsten, Potsdam Institute of Climate Impact Research
 Anke Jentsch, University of Koblenz-Landau
 Marcus Kaplan, German Development Institute
 Christina Koppe-Schaller, Deutscher Wetterdienst
 Christoph Kottmeier, Karlsruhe Institute of Technology
 Frank Kreienkamp, Climate and Environment Consulting Potsdam GmbH
 Christian Kuhlicke, Helmholtz Centre for Environmental Research
 Birgit Kuna, Project Management Agency of DLR
 Nana Kunkel, German Agency for International Development
 Michael Kunz, Karlsruhe Institute of Technology
 Ole Langniss, Fichtner GmbH & Co KG
 Rocio Lichte, United Nations Framework Convention on Climate Change
 Petra Mahrenholz, German Federal Environment Agency
 Reinhard Mechler, International Institute for Applied Systems Analysis, Vienna University of Economics
 Bettina Menne, World Health Organization, Regional Office for Europe
 Annette Mohner, United Nations Framework Convention on Climate Change
 Guido Mücke, German Federal Environment Agency
 Christian L.C. Müller, Federal Ministry for the Environment, Nature Conservation, and Nuclear Safety
 Claudia Pahl-Wostl, Institute of Environmental Systems Research, University of Osnabrück
 Gertrude Penn-Bressel, German Federal Environment Agency
 Jurgen Pohl, University of Bonn
 Joerg Rapp, Deutscher Wetterdienst

Markus Reichstein, Max-Planck Institute for Biogeochemistry
 Joachim Rock, Johann Heinrich von Thuenen-Institute
 Benno Rothstein, University of Applied Forest Sciences Rottenburg
 Peter Rottach, Diakonie Katastrophenhilfe Consultant
 Julia Rufin, Federal Ministry for the Environment, Nature Conservation, and Nuclear Safety
 Evelina Santa, Federal Ministry of Education and Research
 Philipp Schmidt-Thome, Geological Survey of Finland
 Gudrun Schütze, German Federal Environment Agency
 Reimund Schwarze, Helmholtz Center for Environmental Research
 Joachim H. Spangenberg, Sustainable Europe Research Institute
 Frank Sperling, World Wildlife Fund, Norway
 Jochen Stuck, Project Management Agency of DLR
 Swenja Surminski, Association of British Insurers
 Christiane Textor, Project Management Agency of DLR, German IPCC Coordination Office
 Annegret Thieken, University of Potsdam
 Uwe Ulbrich, Freie Universität Berlin
 Martine Vatterodt, Federal Ministry for Economic Cooperation and Development
 Monika Vees, German Federal Environment Agency
 Gottfried von Gemmingen, Federal Ministry for Economic Cooperation and Development
 Hans von Storch, GKSS Research Center
 Martin Voss, Katastrophenforschungsstelle Berlin
 Koko Warner, United Nations University, Institute for Environment and Human Security
 Juergen Weichselgartner, GKSS Research Center
 Johanna Wolf, Memorial University of Newfoundland
 Sabine Wurzler, North Rhine Westphalia State Environment Agency
 Karl-Otto Zentel, Deutsches Komitee Katastrophenvorsorge e.V.

Ghana

Seth Vordzorgbe, United Nations Development Programme

Greece

Christina Anagnostopoulou, Aristotle University of Thessaloniki
 Helena Flocas, University of Athens
 Panagiota Galiatsatou, Aristotle University of Thessaloniki
 Antonis Koussis, National Observatory of Athens
 Aristeidis Koutrouli, Technical University of Crete
 Athanasios Louka, University of Thessaly
 Petroula Louka, Hellenic National Meteorological Service
 Dimitrios Melas, Aristotle University of Thessaloniki
 Panayotis Prinos, Aristotle University of Thessaloniki
 Ioannis Tsanis, Technical University of Crete
 Adonis Velegrakis, University of the Aegean
 Christos Zerefos, Academy of Athens

Guatemala

Edwin Castellanos, Universidad del Valle de Guatemala

Hungary

Joseph Feiler, Ministry of National Development
 Ferenc L. Tóth, International Atomic Energy Agency

Iceland

Halldor Bjornsson, Icelandic Meteorological Office
 HalldorSigrun Karlsdottir, Icelandic Meteorological Office
 Arni Snorrason, Icelandic Meteorological Office

India

Unnikrishnan Alakkat, National Institute of Oceanography
 Subbiah Arjunapermal, Asian Disaster Preparedness Center
 Suruchi Bhadwal, The Energy and Resources Institute

Mihir Bhatt, India Disaster Mitigation Institute
 Amit Garg, Indian Institute of Management Ahmedabad
 B.N. Goswami, Indian Institute for Tropical Meteorology
 Manu Gupta, SEEDS
 Umesh Haritashya, University of Dayton
 Ritesh Kumar, Wetlands International - South Asia
 Pradeep Mujumdar, Indian Institute of Science
 Anand Patwardhan, Indian Institute of Technology Bombay
 Apurva Sanghi, The World Bank
 Akhilesh Surjan, United Nations University

Indonesia

Edvin Aldrian, Badan Meteorologi Klimatologi dan Geofisika

Iran

Rahman Davtalab, Ministry of Energy
 Saeid Eslamian, Isfahan University of Technology
 Mahnaz Khazaei, Atmospheric Science and Meteorological Research Center
 Mohammad Rahimi, Semnan University
 Fatemeh Rahimzadeh, Atmospheric Science and Meteorological Research Center
 Saviz Sehat Kashani, Atmospheric Sciences and Meteorological Research Center

Ireland

Ian Bryceson, Norwegian University of Life Sciences
 Noel Casserly, Department of the Environment

Italy

Marina Baldi, National Research Council, Institute of Biometeorology
 Roberto Bertollini, World Health Organization
 Francesco Bosello, Fondazione Eni Enrico Mattei, Milan University
 Stefano Bovo, ARPA Piemonte
 Carlo Giupponi, University Ca' Foscari of Venice and Euro-Mediterranean Centre for Climate Change
 Georg Kaser, University of Innsbruck
 Valentina Pavan, ARPA Emilia-Romagna
 Roberto Ranzi, University of Brescia
 Carlo Scaramella, World Food Programme
 Rodica Tomozeiu, ARPA Emilia-Romagna

Japan

Shiho Asano, Forestry and Forest Products Research Institute
 Fumiaki Fujibe, Meteorological Research Institute
 Koji Fujita, Nagoya University
 Masahiro Hashizume, Institute of Tropical Medicine, Nagasaki University
 Yasushi Honda, University of Tsukuba
 Shinjiro Kanae, Tokyo Institute of Technology
 Takehiro Kano, Division Ministry of Foreign Affairs
 Miwa Kato, UNFCCC Secretariat
 Hiroyasu Kawai, Port and Airport Research Institute
 So Kazama, Tohoku University
 Akio Kitoh, Meteorological Research Institute
 Masahide Kondo, University of Tsukuba
 Kazuo Kurihara, Meteorological Research Institute
 Shoji Kusunoki, Meteorological Research Institute
 Takao Masumoto, National Institute for Rural Engineering, National Agriculture and Food Research Organization
 Nobuo Mimura, Ibaraki University
 Hisayoshi Morisugi, Nihon University
 Toshiyuki Nakaegawa, Meteorological Research Institute
 Eichi Nakakita, Kyoto University
 Motoki Nishimori, National Institute for Agro-Environmental Sciences
 Taikan Oki, University of Tokyo
 Rajib Shaw, Kyoto University

Hideo Shiogama, National Institute for Environmental Studies
Yasuto Tachikawa, Kyoto University
Kiyoshi Takahashi, National Institute for Environmental Studies
Izuru Takayabu, Meteorological Research Institute
Kuniyoshi Takeuchi, International Centre for Water Hazard and Risk Management
Tadashi Tanaka, University of Tsukuba
Makoto Tani, Kyoto University
Tsugihiko Watanabe, Research Institute for Humanity and Nature
Hiroya Yamano, National Institute for Environmental Studies

Kenya

Peter Ambenje, Kenya Meteorological Department
Samwel Marigi, Kenya Meteorological Department
Charles Mutai, Ministry of Environment and Mineral Resources
Christopher Oludhe, University of Nairobi, Department of Meteorology

Latvia

Olga Vilima, United Nations International Strategy for Disaster Reduction

Malaysia

Joy Jacqueline Pereira, Universiti Kebangsaan Malaysia
Salmah Zakaria, United Nations Economic and Social Commission

Mauritania

Gueladio Cisse, Swiss Tropical and Public Health Institute

Mexico

Victor Cardenas, Climate Change and Natural Disaster Risk Management
Tereza Cavazos, El Centro de Investigación Científica y de Educación Superior de Ensenada
Carolina Neri, Universidad Nacional Autónoma de México
Ursula Oswald-Spring, Universidad Nacional Autónoma de México
Ricardo Zapata-Martí, United Nations Economic Commission for Latin America and the Caribbean

Mongolia

Ravsal Oyun, JEMR Consulting Company

Morocco

Abdalah Mokssit, Direction de la Météorologie Nationale

Mozambique

Felipe Lucio, Global Framework for Climate Services Office, WMO

New Zealand

Reid Basher, Secretariat of the High-Level Taskforce on the Global Framework for Climate Services
Leonard Brown, Ministry for the Environment - Manatu Mo Te Taiao
John Campbell, University of Waikato
John Hay, University of the South Pacific
Glenn McGregor, University of Auckland
Matthew McKinnon, DARA
Helen Plume, Ministry for the Environment - Manatu Mo Te Taiao
David Wratt, National Institute of Water and Atmospheric Research

Niger

Abdelkrim Ben Mohamed, University of Niamey

Norway

Torgim Asphjell, Climate and Pollution Agency
Rasmus Benestad, The Norwegian Meteorological Institute
Tor A. Benjaminsen, Norwegian University of Life Sciences
Elzbieta Maria Bitner-Gregersen, Det Norske Veritas AS

Oyvind Christophersen, Climate and Pollution Agency
Solveig Crompton, Ministry of the Environment
Linda Dalen, Norwegian Directorate for Nature Management
Lars Ingolf Eide, Det Norske Veritas
Siri Eriksen, Norwegian University of Life Sciences
Christoffer Grønstad, Climate and Pollution Agency
Hege Haugland, Climate and Pollution Agency
Hege Hisdal, Norwegian Water Resources and Energy Directorate
Dag O. Høgvold, Directorate for Civil Protection and Emergency Planning
Linn Bryhn Jacobsen, Climate and Pollution Agency
Vikram Kolmannskog, Norwegian Refugee Council
Ole-Kristian Kvissel, Climate and Pollution Agency
Farrokh Nadim, International Centre for Geohazards
Lars Otto Naess, Institute of Development Studies
Karen O'Brien, University of Oslo
Ellen Øseth, Norwegian Polar Institute
Marit Viktoria Pettersen, Ministry of Foreign Affairs
Asgeir Sorteberg, University of Bergen
Linda Sygna, University of Oslo
Kirsten Ulstrup, University of Oslo
Vigdis Vestreng, Climate and Pollution Agency

Pakistan

Muhammad Mohsin Iqbal, Global Change Impact Studies Centre
Jawed Ali Khan, Ministry of Environment
Maira Zahur, Women for Climate Justice

Palestinian National Authority

Nedal Katbeh-Bader, Environment Quality Authority

Peru

Eduardo Calvo, Universidad Nacional Mayor de San Marcos
Encinas Carla, Intercooperation
Silvia Llosa, United Nations International Strategy for Disaster Reduction

Philippines

Imelda Abarquez, Oxfam Hong Kong
Sanny Jegillos, United Nations Development Programme
Rosa Perez, Manila Observatory

Poland

Janusz Filipiak, Institute of Meteorology and Water Management
Zbigniew Kundzewicz, Polish Academy of Sciences
Zbigniew Ustrnul, Institute of Meteorology and Water Management, Jagiellonian University
Joanna Wibig, University of Lodz

Republic of Korea

So-Min Cheong, University of Kansas
Tae Sung Cheong, National Emergency Management Agency
Soojeong Myeong, Korea Environment Institute

Republic of Maldives

Amjad Abdulla, IPCC Vice Chair WG II, Climate Change Energy Department, Ministry of Housing and Environment

Romania

Roxana Bojariu, National Meteorological Administration
Sorin Cheval, National Meteorological Administration

Russian Federation

E. M. Akentyeva, Main Geophysical Observatory
Sergey Borsch, Hydromet Center of Russia

N. V. Kobysheva, Main Geophysical Observatory
 Boris Porfiriev, Institute for Economic Forecasting, Russian Academy of Sciences
 Vladimir Semenov, A.M. Obukhov Institute of Atmospheric Physics
 Boris Sherstyukov, All Russian Research Institute of Hydrometeorological
 Information World Data Center

Senegal

Cherif Diop, Senegalese Meteorological Agency

South Africa

Reinette (Oonsie) Biggs, Stockholm Resilience Centre, Stockholm University
 Bruce Glavovic, Massey University
 Bettina Koelle, Indigo Development and Change
 Noel Oettle, Environmental Monitoring Group
 Coleen Vogel, University of Witwatersrand
 Gina Ziervogel, University of Cape Town

Spain

Enric Aguilar, Universitat Rovira i Virgili
 Gerardo Benito, Spanish Council for Scientific Research
 Jorge Bonnet Fernandez Trujillo, Government of the Canary Islands
 Francisco Garcia Novo, University of Seville
 José Manuel Gutiérrez, Consejo Superior de Investigaciones Científicas
 Ana Iglesias, Universidad Politécnica de Madrid
 José Antonio López-Díaz, Agencia Estatal de Meteorología
 Concepcion Martinez-Lope, Spanish Bureau for Climate Change
 José Moreno, University of Castilla-La Mancha
 Francisco Pascual, Spanish Bureau for Climate Change
 Jose Ramon Picatoste-Ruggeroni, Spanish Bureau for Climate Change
 Ernesto Rodriguez-Camino, Spanish Meteorological Agency
 Sabater Sergi, University Girona

Sudan

Ismail Fadl El Moula Mohamed, Sudan Meteorological Authority
 Balgis Osman-Elasha, African Development Bank

Sweden

Cecilia Alfredsson, Swedish Civil Contingencies Agency
 Lars Barring, Swedish Meteorological and Hydrological Institute
 Sten Bergstrom, Swedish Meteorological and Hydrological Institute
 Pelle Boberg, Swedish Meteorological and Hydrological Institute
 Henrik Carlsen, Swedish Defence Research Agency
 Carl Folke, The Beijer Institute, Stockholm University
 Clarisse Kehler Siebert, Stockholm Environment Institute
 Carina Keskitalo, Umea University
 Richard Klein, Stockholm Environment Institute
 Georg Lindgren, Lund University
 Elin Lovendahl, Swedish Meteorological and Hydrological Institute
 Barbro Naslund-Landenmark, Swedish Civil Contingencies Agency
 Carin Nilsson, Swedish Meteorological and Hydrological Institute
 Ulrika Postgard, Swedish Civil Contingencies Agency
 Markku Rummukainen, Swedish Meteorological and Hydrological Institute
 Johan Schaar, Ministry of Foreign Affairs
 Lisa Schipper, Stockholm Environment Institute
 Ake Svensson, Swedish Civil Contingencies Agency

Switzerland

Simon Allen, IPCC WGI Technical Support Unit
 Walter J. Ammann, Global Risk Forum GRF Davos
 Neville Ash, United Nations Environment Programme
 Stefan Brönnimann, University of Bern
 Carlo Casty, Partner Reinsurance Company
 Nicole Clot, Intercooperation

Paul Della-Marta, Partner Reinsurance Company
 Andreas Fischlin, Swiss Federal Institute of Technology, Systems Ecology
 Markus Gerber, University of Bern, Climate and Environmental Physics
 Peter Greminger, Federal Office for Environment
 Christian Huggel, University of Zurich
 Matthias Huss, University of Fribourg
 Daniel Kull, International Federation of Red Cross and Red Crescent Societies
 Juerg Luterbacher, Justus Liebig University
 Joy Muller, International Federation of Red Cross and Red Crescent Societies
 Urs Neu, Swiss Academy of Sciences
 Boris Orlowsky, Swiss Federal Institute of Technology Zurich
 Pascal Peduzzi, United Nations Environment Programme
 Gian-Kasper Plattner, IPCC WGI Technical Support Unit
 Dieter Rickenmann, Swiss Federal Research Institute WSL
 Stephan Rist, Centre for Development and Environment, University of Bern
 Jose Romero, Federal Office for the Environment
 Sonia Seneviratne, Swiss Federal Institute of Technology Zurich
 Andreas Spiegel, Swiss Re
 Thomas Stocker, University of Bern
 Philippe Thalmann, EPFL Swiss Federal Institute of Technology Lausanne
 Heinz Wanner, University of Bern
 Andre Wehrli, European Environment Agency
 Heini Wernli, Swiss Federal Institute of Technology Zurich
 Irina Zodrow, United Nations International Strategy for Disaster Reduction

Tanzania

Emmanuel Mpeta, Tanzania Meteorological Agency
 Khamaldin Daud Mutabazi, Sokoine University of Agriculture
 Pius Zebhe Yanda, University of Dar es Salaam

Thailand

Seree Supratid, Rangsit University

The Netherlands

Frans Berkhout, Vrije University
 Laurens Bouwer, Institute for Environmental Studies, Vrije University
 Hein W. Haak, The Royal Netherlands Meteorological Institute
 Albert Klein Tank, The Royal Netherlands Meteorological Institute
 Irene Kreis, Health Protection Agency
 Adriaan Perrels, Finnish Meteorological Institute
 Maarten van Aalst, Red Cross Red Crescent Climate Centre
 Bart van den Hurk, The Royal Netherlands Meteorological Institute
 Henny A.J. van Lanen, Wageningen University
 Geert Jan van Oldenborgh, The Royal Netherlands Meteorological Institute
 Jeroen Warner, Wageningen University

Trinidad and Tobago

Veronica Belgrave, Ministry of Planning, Housing, and the Environment

Turkey

Salahattin Incecik, Istanbul Technical University

United Kingdom

Neil Adger, Tyndall Centre, University of East Anglia
 Alex Arnall, University of Reading
 Nigel Arnell, University of Reading
 Victoria Bell, Centre for Ecology and Hydrology
 Enrico Biffis, Imperial College, London
 Katrina Brown, University of East Anglia
 Simon Brown, Met Office Hadley Centre
 Sal Burgess, UK Department for Environment, Food, and Rural Affairs
 Harriet Caldin, Health Protection Agency
 Diarmid Campbell-Lendrum, World Health Organization

Catriona Carmichael, Health Protection Agency
 Amanda Charles, UK Government Office for Science
 Declan Conway, University of East Anglia
 Tim Conway, UK Department for International Development
 Anita Cooper, Health Protection Agency
 Geoff Darch, Atkins Consultants and University of East Anglia
 Ian Davis, Cranfield University
 Ken De Souza, UK Department for International Development
 Andrew Dlugolecki, Climatic Research Unit University of East Anglia
 Maureen Fordham, Northumbria University
 Tim Forsyth, London School of Economics and Political Science
 Clare Goodess, University of East Anglia Climatic Research Unit
 Jim Hall, Newcastle University
 Lucy Hayes, UK Department of Energy and Climate Change
 Clare Heaviside, Centre for Radiation, Chemical and Environmental Hazards, Health Protection Agency
 Debbie Hillier, Oxfam International
 Robert Hodgson, University of Exeter
 Sari Kovats, London School of Hygiene and Tropical Medicine
 Bo Lim, United Nations Development Programme
 Andrew Maskrey, UN International Strategy for Disaster Reduction
 Michael McCall, Universidad Nacional Autonoma de Mexico
 William McGuire, University College London
 Thomas Mitchell, Overseas Development Institute
 John Morton, Natural Resources Institute, University of Greenwich
 Alessandro Moscuza, UK Department for International Development
 Robert Muir-Wood, Risk Management Solutions
 Virginia Murray, Health Protection Agency
 Katherine Nightingale, Christian Aid
 Geoff O'Brien, Northumbria University
 Phil O'Keefe, Northumbria University
 Jean Palutikof, Griffith University
 Mark Pelling, King's College London
 Emily Polack, Institute of Development Studies
 Ben Ramalingam, Overseas Development Institute
 Nicola Ranger, London School of Economics
 John Rees, Natural Environment Research Council, UK
 Hannah Rowlatt, Health Protection Agency and University of Sheffield
 Sohail Saikat, Health Protection Agency
 David Satterthwaite, International Institute for Environment & Development
 Chris Sear, UK Department of Energy and Climate Change
 A. Simmons, European Centre for Medium-Range Weather Forecasts
 Robert Siveter, International Petroleum Industry Environmental Conservation Association
 David Smith, University of the West Indies
 Stephen Smith, UK Committee on Climate Change
 David Stephenson, University of Exeter
 Peter Stott, Met Office Hadley Centre
 Robert Sykes, International Petroleum Industry Environmental Conservation Association
 Thomas Tanner, Institute of Development Studies
 Addis Taye, Health Protection Services
 Emma Tompkins, University of Southampton, Highfield Campus
 John Twigg, University College London
 Sotiris Vardoulakis, Health Protection Agency
 Emma Visman, Humanitarian Futures Programme, King's College, London
 Tim Waites, UK Department for International Development
 David Warrilow, UK Department of Energy and Climate Change
 Paul Watkiss, Paul Watkiss Associates
 Robert Wilby, University of Loughborough
 Michelle Winthrop, UK Department for International Development
 Philip Woodworth, National Oceanography Centre
 Ronald Young, Young International Ltd / Knowledge Associates International Ltd

United States of America

David Allen, US Global Change Research Program
 Tom Armstrong, US Global Change Research Program
 Jeff Arnold, US Army Corps of Engineers
 Margaret Arnold, The World Bank
 Bilal Ayyub, University of Maryland
 Donald Ballantyne, MMI Engineering
 Ko Barrett, National Oceanic and Atmospheric Administration
 Stephen Bender, Organization of American States (retired)
 Lisa M. Butler-Harrington, The Wharton School, Kansas State University
 JoAnn Carmin, Massachusetts Institute of Technology
 Edward Carr, US Administration for International Development
 DeWayne Cecil, National Oceanic and Atmospheric Administration
 Christina Chan, US Department of State
 David Cleaves, US Forest Service
 Thomas Cronin, US Geological Survey
 Susan Cutter, University of South Carolina
 Kirstin Dow, University of South Carolina
 David Easterling, National Oceanic and Atmospheric Administration, National Climatic Data Center
 Kristie Ebi, IPCC WGII Technical Support Unit
 Barbara Ellis, Center for Disease Control
 Christopher Emrich, University of South Carolina
 Sandy Eslinger, National Oceanic and Atmospheric Administration
 Ross Faith, US Subcommittee on Disaster Reduction
 Christopher Field, Carnegie Institution for Science
 Stephen Gill, National Oceanic and Atmospheric Administration
 Justin Ginnetti, United Nations International Strategy for Disaster Reduction
 William Gutowski, Iowa State University
 D.E. (Ed) Harrison, National Oceanic and Atmospheric Administration, Pacific Marine Environmental Laboratory
 Jerry Hatfield, US Department of Agriculture
 Robert Heilmayr, Emmett Interdisciplinary Program for Environment and Resources, Stanford University
 Molly Hellmuth, International Research Institute for Climate and Society
 Jeremy Hess, Centers for Disease Control and Prevention
 Robert Hirsch, US Geological Survey
 Robert Jarrett, US Geological Survey
 Terry Jeggler, University of Pittsburgh
 Mark Keim, Centers for Disease Control and Prevention
 Paul Knappenberger, New Hope Environmental Services
 Thomas Knutson, National Oceanic and Atmospheric Administration
 James Kossin, National Oceanic and Atmospheric Administration, National Climatic Data Center
 Howard Kunreuther, The Wharton School, University of Pennsylvania
 David Lea, US Department of State
 Arthur Lee, Chevron Services Company
 Robin Leichenko, Rutgers University
 Maria Carmen Lemos, University of Michigan
 Robert Lempert, RAND Corporation
 David Levinson, US Forest Service
 Joanne Linnerooth-Bayer, International Institute for Applied Systems Analysis
 Peter Liotta, Independent Scholar
 Chris Little, Woodrow Wilson School of Public and International Affairs, Princeton University
 David Lobell, Stanford University
 Pat Longstaff, Syracuse University
 Alexander Lotsch, The World Bank
 Michael MacCracken, Climate Institute
 Katharine Mach, IPCC WGII Technical Support Unit
 Simon Mason, Columbia University
 Michael Mastrandrea, IPCC WGII Technical Support Unit
 Sabrina McCormick, US Environmental Protection Agency

Linda Mearns, National Center for Atmospheric Research
 Jerry Meehl, National Center for Atmospheric Research
 Chris Milly, US Geological Survey
 James Mitchell, Rutgers University
 Marcus Moench, Institute for Social and Environmental Transition
 Susanne Moser, Susanne Moser Research and Consulting
 Meredith Muth, National Oceanic and Atmospheric Administration
 Robert J Naiman, University of Washington
 Robert O'Connor, National Science Foundation
 Ian O'Donnell, Asian Development Bank
 Michael Oppenheimer, Princeton University
 Jacob Park, Green Mountain College
 Roger Pielke Jr., University of Colorado
 David Pierce, Scripps Institution of Oceanography
 Mark Powell, National Oceanic and Atmospheric Administration
 Michael Prather, University of California, Irvine
 Roger Pulwarty, National Oceanic and Atmospheric Administration
 David Reidmiller, US Department of State
 Dian Seidel, National Oceanic and Atmospheric Administration
 Emil Simiu, National Institute of Standards and Technology
 Anthony-Oliver Smith, Emeritus, University of Florida
 Joel Smith, Stratus Consulting
 Susan Solomon, National Oceanic and Atmospheric Administration
 Doreen Stabinsky, College of the Atlantic
 Amanda Staudt, National Wildlife Federation
 Ronald Stouffer, National Oceanic and Atmospheric Administration
 Trigg Talley, US Department of State
 Wassila Thiaw, National Oceanic and Atmospheric Administration
 John Tiefenbacher, Texas State University
 Sezin Tokar, US Agency for International Development
 Kevin E. Trenberth, National Center for Atmospheric Research
 Thomas Wagner, National Aeronautics and Space Administration
 Robert Webb, National Oceanic and Atmospheric Administration

Elke Weber, Columbia University
 Michael Wehner, Lawrence Berkeley National Laboratory
 Jason Westrich, University of Georgia, Odum School of Ecology
 Thomas Wilbanks, Oak Ridge National Laboratory
 Benjamin Wisner, Aon-Benfield UCL Hazard Research Centre, University College London
 Richard Wright, American Society of Civil Engineers
 Donald Wuebbles, University of Illinois
 Tingjun Zhang, University of Colorado National Snow and Ice Data Center

Venezuela

Maria Teresa Abogado, Ministry of People's Powers for Foreign Affairs
 Jose Azuaje, Ministry of People's Powers for Foreign Affairs
 Salvano Briceno, United Nations
 Claudia Salerno Caldera, Ministry of People's Powers for Foreign Affairs
 Isabel Di Carlo Quero, Ministry of People's Powers for Foreign Affairs
 Rafael Hernandez, Ministry of People's Powers for Foreign Affairs
 Federico Lagarde, Ministry of People's Powers for Foreign Affairs
 Alejandro Linayo, Research Center on Disaster Risk Reduction
 Luis Jose Mata, International Monetary Fund
 Yessica Pereira, Ministry of People's Powers for Foreign Affairs
 Reina Perez, Ministry of People's Powers for Foreign Affairs
 Rafael Rebolledo, Ministry of People's Powers for Foreign Affairs
 Dirk Thielen, Ministry of People's Powers for Foreign Affairs

Vietnam

Mai Trong Nhuan, Vietnam National University
 Bach Tan Sinh, National Institute for Science and Technology Policy and Strategy Studies

Zambia

Raban Chanda, University of Botswana

ANNEX II

Glossary of Terms

This annex should be cited as:

IPCC, 2012: Glossary of terms. In: *Managing the Risks of Extreme Events and Disasters to Advance Climate Change Adaptation* [Field, C.B., V. Barros, T.F. Stocker, D. Qin, D.J. Dokken, K.L. Ebi, M.D. Mastrandrea, K.J. Mach, G.-K. Plattner, S.K. Allen, M. Tignor, and P.M. Midgley (eds.)]. A Special Report of Working Groups I and II of the Intergovernmental Panel on Climate Change (IPCC). Cambridge University Press, Cambridge, UK, and New York, NY, USA, pp. 555-564.

Abrupt climate change

The nonlinearity of the climate system may lead to abrupt climate change, sometimes called rapid climate change, abrupt events, or even surprises. The term abrupt often refers to time scales faster than the typical time scale of the responsible forcing. However, not all abrupt climate changes need be externally forced. Some changes may be truly unexpected, resulting from a strong, rapidly changing forcing of a nonlinear system.

Adaptation

In human systems, the process of adjustment to actual or expected climate and its effects, in order to moderate harm or exploit beneficial opportunities. In natural systems, the process of adjustment to actual climate and its effects; human intervention may facilitate adjustment to expected climate.

Adaptation assessment

The practice of identifying options to adapt to climate change and evaluating them in terms of criteria such as availability, benefits, costs, effectiveness, efficiency, and feasibility.

Adaptive capacity

The combination of the strengths, attributes, and resources available to an individual, community, society, or organization that can be used to prepare for and undertake actions to reduce adverse impacts, moderate harm, or exploit beneficial opportunities.

Aerosols

A collection of airborne solid or liquid particles, with a typical size between 0.01 and 10 μm , that reside in the atmosphere for at least several hours. Aerosols may be of either natural or anthropogenic origin. Aerosols may influence climate in several ways: directly through scattering and absorbing radiation, and indirectly by acting as cloud condensation nuclei or modifying the optical properties and lifetime of clouds.

Albedo

The fraction of solar radiation reflected by a surface or object, often expressed as a percentage. Snow-covered surfaces have a high albedo, the surface albedo of soils ranges from high to low, and vegetation-covered surfaces and oceans have a low albedo. The Earth's planetary albedo varies mainly through varying cloudiness, snow, ice, leaf area, and land cover changes.

Anthropogenic

Resulting from or produced by human beings.

Anthropogenic emissions

Emissions of greenhouse gases, greenhouse gas precursors, and aerosols associated with human activities. These activities include the burning of fossil fuels, deforestation, land use changes, livestock, fertilization, etc., that result in a net increase in emissions.

Atlantic Multi-decadal Oscillation (AMO)

A multi-decadal (65- to 75-year) fluctuation in the North Atlantic, in which sea surface temperatures showed warm phases during roughly 1860 to 1880 and 1930 to 1960 and cool phases during 1905 to 1925 and 1970 to 1990 with a range of the order of 0.4°C.

Atmosphere

The gaseous envelope surrounding the Earth. The dry atmosphere consists almost entirely of nitrogen (78.1% volume mixing ratio) and oxygen (20.9% volume mixing ratio), together with a number of trace gases, such as argon (0.93% volume mixing ratio), helium, and radiatively active greenhouse gases such as carbon dioxide (0.035% volume mixing ratio) and ozone. In addition, the atmosphere contains the greenhouse gas water vapor, whose amounts are highly variable but typically around 1% volume mixing ratio. The atmosphere also contains clouds and aerosols.

Available potential energy

That portion of the total potential energy that may be converted to kinetic energy in an adiabatically enclosed system.

Baseline/reference

The baseline (or reference) is the state against which change is measured. It might be a 'current baseline,' in which case it represents observable, present-day conditions. It might also be a 'future baseline,' which is a projected future set of conditions excluding the driving factor of interest. Alternative interpretations of the reference conditions can give rise to multiple baselines.

Capacity

The combination of all the strengths, attributes, and resources available to an individual, community, society, or organization, which can be used to achieve established goals.

Carbon cycle

The term used to describe the flow of carbon (in various forms, e.g., as carbon dioxide) through the atmosphere, ocean, terrestrial biosphere, and lithosphere.

Carbon dioxide (CO₂)

A naturally occurring gas fixed by photosynthesis into organic matter. A byproduct of fossil fuel combustion and biomass burning, it is also emitted from land use changes and other industrial processes. It is the principal anthropogenic greenhouse gas that affects the Earth's radiative balance. It is the reference gas against which other greenhouse gases are measured, thus having a Global Warming Potential of 1.

Catchment

An area that collects and drains precipitation.

Clausius-Clapeyron relationship (or equation)

The differential equation relating the pressure of a substance (usually

water vapor) to temperature in a system in which two phases of the substance (water) are in equilibrium.

Climate

Climate in a narrow sense is usually defined as the average weather, or more rigorously, as the statistical description in terms of the mean and variability of relevant quantities over a period of time ranging from months to thousands or millions of years. The classical period for averaging these variables is 30 years, as defined by the World Meteorological Organization. The relevant quantities are most often surface variables such as temperature, precipitation, and wind. Climate in a wider sense is the state, including a statistical description, of the climate system. In various chapters in this report different averaging periods, such as a period of 20 years, are also used.

Climate change

A change in the state of the climate that can be identified (e.g., by using statistical tests) by changes in the mean and/or the variability of its properties and that persists for an extended period, typically decades or longer. Climate change may be due to natural internal processes or external forcings, or to persistent anthropogenic changes in the composition of the atmosphere or in land use.¹ See also [Climate variability](#) and [Detection and attribution](#).

Climate extreme (extreme weather or climate event)

The occurrence of a value of a weather or climate variable above (or below) a threshold value near the upper (or lower) ends of the range of observed values of the variable. For simplicity, both extreme weather events and extreme climate events are referred to collectively as ‘climate extremes.’ The full definition is provided in Section 3.1.2.

Climate feedback

An interaction mechanism between processes in the climate system is called a climate feedback when the result of an initial process triggers changes in a second process that in turn influences the initial one. A positive feedback intensifies the original process, and a negative feedback reduces it.

Climate model

A numerical representation of the climate system that is based on the physical, chemical, and biological properties of its components, their interactions, and feedback processes, and that accounts for all or some of its known properties. The climate system can be represented by models of varying complexity, that is, for any one component or combination of

components a spectrum or hierarchy of models can be identified, differing in such aspects as the number of spatial dimensions, the extent to which physical, chemical, or biological processes are explicitly represented, or the level at which empirical parameterizations are involved. Coupled Atmosphere-Ocean Global Climate Models (AOGCMs), also referred to as Atmosphere-Ocean General Circulation Models, provide a representation of the climate system that is near the most comprehensive end of the spectrum currently available. There is an evolution toward more complex models with interactive chemistry and biology. Climate models are applied as a research tool to study and simulate the climate, and for operational purposes, including monthly, seasonal, and interannual climate predictions.

Climate projection

A projection of the response of the climate system to emissions or concentration scenarios of greenhouse gases and aerosols, or radiative forcing scenarios, often based upon simulations by climate models. Climate projections are distinguished from climate predictions in order to emphasize that climate projections depend upon the emission/concentration/radiative-forcing scenario used, which are based on assumptions concerning, e.g., future socioeconomic and technological developments that may or may not be realized and are therefore subject to substantial uncertainty.

Climate scenario

A plausible and often simplified representation of the future climate, based on an internally consistent set of climatological relationships that has been constructed for explicit use in investigating the potential consequences of anthropogenic climate change, often serving as input to impact models. Climate projections often serve as the raw material for constructing climate scenarios, but climate scenarios usually require additional information such as about the observed current climate.

Climate system

The climate system is the highly complex system consisting of five major components: the atmosphere, the oceans, the cryosphere, the land surface, the biosphere, and the interactions between them. The climate system evolves in time under the influence of its own internal dynamics and because of external forcings such as volcanic eruptions, solar variations, and anthropogenic forcings such as the changing composition of the atmosphere and land use change.

Climate threshold

A critical limit within the climate system that induces a non-linear response to a given forcing. See also [Abrupt climate change](#).

Climate variability

Climate variability refers to variations in the mean state and other statistics (such as standard deviations, the occurrence of extremes, etc.) of the climate at all spatial and temporal scales beyond that of individual weather events. Variability may be due to natural internal processes within the climate system (internal variability), or to variations in natural

¹ This definition differs from that in the United Nations Framework Convention on Climate Change (UNFCCC), where climate change is defined as: “a change of climate which is attributed directly or indirectly to human activity that alters the composition of the global atmosphere and which is in addition to natural climate variability observed over comparable time periods.” The UNFCCC thus makes a distinction between climate change attributable to human activities altering the atmospheric composition, and climate variability attributable to natural causes.

or anthropogenic external forcing (external variability). See also [Climate change](#).

Cold days/cold nights

Days where maximum temperature, or nights where minimum temperature, falls below the 10th percentile, where the respective temperature distributions are generally defined with respect to the 1961-1990 reference period.

Community-based disaster risk management

See [Local disaster risk management](#).

Confidence

Confidence in the validity of a finding, based on the type, amount, quality, and consistency of evidence and on the degree of agreement. Confidence is expressed qualitatively.

Control run

A model run carried out to provide a 'baseline' for comparison with climate change experiments. The control run uses constant values for the radiative forcing due to greenhouse gases and anthropogenic aerosols appropriate to pre-industrial conditions.

Convection

Vertical motion driven by buoyancy forces arising from static instability, usually caused by near-surface cooling or increases in salinity in the case of the ocean and near-surface warming in the case of the atmosphere. At the location of convection, the horizontal scale is approximately the same as the vertical scale, as opposed to the large contrast between these scales in the general circulation. The net vertical mass transport is usually much smaller than the upward and downward exchange.

Coping

The use of available skills, resources, and opportunities to address, manage, and overcome adverse conditions, with the aim of achieving basic functioning in the short to medium term.

Coping capacity

The ability of people, organizations, and systems, using available skills, resources, and opportunities, to address, manage, and overcome adverse conditions.

Detection and attribution

Climate varies continually on all time scales. Detection of climate change is the process of demonstrating that climate has changed in some defined statistical sense, without providing a reason for that change. Attribution of causes of climate change is the process of establishing the most likely causes for the detected change with some defined level of confidence.

Diabatic

A process in which external heat is gained or lost by the system.

Disaster

Severe alterations in the normal functioning of a community or a society due to hazardous physical events interacting with vulnerable social conditions, leading to widespread adverse human, material, economic, or environmental effects that require immediate emergency response to satisfy critical human needs and that may require external support for recovery.

Disaster management

Social processes for designing, implementing, and evaluating strategies, policies, and measures that promote and improve disaster preparedness, response, and recovery practices at different organizational and societal levels.

Disaster risk

The likelihood over a specified time period of severe alterations in the normal functioning of a community or a society due to hazardous physical events interacting with vulnerable social conditions, leading to widespread adverse human, material, economic, or environmental effects that require immediate emergency response to satisfy critical human needs and that may require external support for recovery.

Disaster risk management (DRM)

Processes for designing, implementing, and evaluating strategies, policies, and measures to improve the understanding of disaster risk, foster disaster risk reduction and transfer, and promote continuous improvement in disaster preparedness, response, and recovery practices, with the explicit purpose of increasing human security, well-being, quality of life, and sustainable development.

Disaster risk reduction (DRR)

Denotes both a policy goal or objective, and the strategic and instrumental measures employed for anticipating future disaster risk; reducing existing exposure, hazard, or vulnerability; and improving resilience.

Diurnal temperature range

The difference between the maximum and minimum temperature during a 24-hour period.

Downscaling

Downscaling is a method that derives local- to regional-scale (up to 100 km) information from larger-scale models or data analyses. The full definition is provided in [Section 3.2.3](#).

Drought

A period of abnormally dry weather long enough to cause a serious hydrological imbalance. Drought is a relative term (see [Box 3-3](#)), therefore any discussion in terms of precipitation deficit must refer to the particular precipitation-related activity that is under discussion. For example, shortage of precipitation during the growing season impinges on crop production or ecosystem function in general (due to soil moisture

drought, also termed agricultural drought), and during the runoff and percolation season primarily affects water supplies (hydrological drought). Storage changes in soil moisture and groundwater are also affected by increases in actual evapotranspiration in addition to reductions in precipitation. A period with an abnormal precipitation deficit is defined as a meteorological drought. A megadrought is a very lengthy and pervasive drought, lasting much longer than normal, usually a decade or more.

Early warning system

The set of capacities needed to generate and disseminate timely and meaningful warning information to enable individuals, communities, and organizations threatened by a hazard to prepare and to act appropriately and in sufficient time to reduce the possibility of harm or loss.

El Niño-Southern Oscillation (ENSO)

The term El Niño was initially used to describe a warm-water current that periodically flows along the coast of Ecuador and Peru, disrupting the local fishery. It has since become identified with a basin-wide warming of the tropical Pacific Ocean east of the dateline. This oceanic event is associated with a fluctuation of a global-scale tropical and subtropical surface pressure pattern called the Southern Oscillation. This coupled atmosphere-ocean phenomenon, with preferred time scales of 2 to about 7 years, is collectively known as the El Niño-Southern Oscillation. It is often measured by the surface pressure anomaly difference between Darwin and Tahiti and the sea surface temperatures in the central and eastern equatorial Pacific. During an ENSO event, the prevailing trade winds weaken, reducing upwelling and altering ocean currents such that the sea surface temperatures warm, further weakening the trade winds. This event has a great impact on the wind, sea surface temperature, and precipitation patterns in the tropical Pacific. It has climatic effects throughout the Pacific region and in many other parts of the world, through global teleconnections. The cold phase of ENSO is called La Niña.

Emissions scenario

A plausible representation of the future development of emissions of substances that are potentially radiatively active (e.g., greenhouse gases, aerosols), based on a coherent and internally consistent set of assumptions about driving forces (such as technological change, demographic and socioeconomic development) and their key relationships. Concentration scenarios, derived from emissions scenarios, are used as input to a climate model to compute climate projections. In the IPCC 1992 Supplementary Report, a set of emissions scenarios was presented, which were used as a basis for the climate projections in the IPCC Second Assessment Report. These emissions scenarios are referred to as the IS92 scenarios. In the IPCC Special Report on Emissions Scenarios, new emissions scenarios, the so-called SRES scenarios, were published. SRES scenarios (e.g., A1B, A1FI, A2, B1, B2) are used as a basis for some of the climate projections shown in Chapter 3 of this report.

Ensemble

A group of parallel model simulations used for climate projections. Variation of the results across the ensemble members gives an estimate

of uncertainty. Ensembles made with the same model but different initial conditions only characterize the uncertainty associated with internal climate variability, whereas multi-model ensembles including simulations by several models also include the impact of model differences. Perturbed parameter ensembles, in which model parameters are varied in a systematic manner, aim to produce a more objective estimate of modeling uncertainty than is possible with traditional multi-model ensembles.

Evapotranspiration

The combined process of evaporation from the Earth's surface and transpiration from vegetation.

Exposure

The presence of people; livelihoods; environmental services and resources; infrastructure; or economic, social, or cultural assets in places that could be adversely affected.

External forcing

External forcing refers to a forcing agent outside the climate system causing a change in the climate system. Volcanic eruptions, solar variations, and anthropogenic changes in the composition of the atmosphere and land use change are external forcings.

Extratropical cyclone

Any cyclonic-scale storm that is not a tropical cyclone. Usually refers to a middle- or high-latitude migratory storm system formed in regions of large horizontal temperature variations. Sometimes called extratropical storm or extratropical low.

Extreme coastal high water (also referred to as extreme sea level)

Extreme coastal high water depends on average sea level, tides, and regional weather systems. Extreme coastal high water events are usually defined in terms of the higher percentiles (e.g., 90th to 99.9th) of a distribution of hourly values of observed sea level at a station for a given reference period.

Extreme weather or climate event

See *Climate extreme*.

Famine

Scarcity of food over an extended period and over a large geographical area, such as a country. Famines may be triggered by extreme climate events such as drought or floods, but can also be caused by disease, war, or other factors.

Flood

The overflowing of the normal confines of a stream or other body of water, or the accumulation of water over areas that are not normally submerged. Floods include river (fluvial) floods, flash floods, urban floods, pluvial floods, sewer floods, coastal floods, and glacial lake outburst floods.

Frozen ground

Soil or rock in which part or all of the pore water is frozen. Perennially frozen ground is called permafrost. Ground that freezes and thaws annually is called seasonally frozen ground.

Glacial lake outburst flood (GLOF)

Flood associated with outburst of glacial lake. Glacial lake outburst floods are typically a result of cumulative developments and occur (i) only once (e.g., full breach failure of moraine-dammed lakes), (ii) for the first time (e.g., new formation and outburst of glacial lakes), and/or (iii) repeatedly (e.g., ice-dammed lakes with drainage cycles, or ice fall).

Glacier

A mass of land ice that flows downhill under gravity (through internal deformation and/or sliding at the base) and is constrained by internal stress and friction at the base and sides. A glacier is maintained by accumulation of snow at high altitudes, balanced by melting at low altitudes or discharge into the sea.

Global climate model (also referred to as general circulation model, both abbreviated as GCM)

See Climate model.

Global surface temperature

The global surface temperature is an estimate of the global mean surface air temperature. However, for changes over time, only anomalies, as departures from a climatology, are used, most commonly based on the area-weighted global average of the sea surface temperature anomaly and land surface air temperature anomaly.

Governance

The way government is understood has changed in response to social, economic, and technological changes over recent decades. There is a corresponding shift from government defined strictly by the nation-state to a more inclusive concept of governance, recognizing the contributions of various levels of government (global, international, regional, local) and the roles of the private sector, of nongovernmental actors, and of civil society.

Greenhouse effect

Greenhouse gases effectively absorb thermal infrared radiation, emitted by the Earth's surface, by the atmosphere itself due to the same gases, and by clouds. Atmospheric radiation is emitted to all sides, including downward to the Earth's surface. Thus, greenhouse gases trap heat within the surface-troposphere system. This is called the greenhouse effect. Thermal infrared radiation in the troposphere is strongly coupled to the temperature of the atmosphere at the altitude at which it is emitted. In the troposphere, the temperature generally decreases with height. Effectively, infrared radiation emitted to space originates from an altitude with a temperature of, on average, -19°C, in balance with the net incoming solar radiation, whereas the Earth's surface is kept at a much higher temperature of, on average, 14°C. An increase in the

concentration of greenhouse gases leads to an increased infrared opacity of the atmosphere and therefore to an effective radiation into space from a higher altitude at a lower temperature. This causes a radiative forcing that leads to an enhancement of the greenhouse effect, the so-called enhanced greenhouse effect.

Greenhouse gas

Greenhouse gases are those gaseous constituents of the atmosphere, both natural and anthropogenic, which absorb and emit radiation at specific wavelengths within the spectrum of thermal infrared radiation emitted by the Earth's surface, by the atmosphere itself, and by clouds. This property causes the greenhouse effect. Water vapor (H₂O), carbon dioxide (CO₂), nitrous oxide (N₂O), methane (CH₄), and ozone (O₃) are the primary greenhouse gases in the Earth's atmosphere. Moreover, there are a number of entirely human-made greenhouse gases in the atmosphere, such as the halocarbons and other chlorine- and bromine-containing substances, dealt with under the Montreal Protocol. Besides CO₂, N₂O, and CH₄, the Kyoto Protocol deals with the greenhouse gases sulfur hexafluoride (SF₆), hydrofluorocarbons (HFCs), and perfluorocarbons (PFCs).

Hazard

The potential occurrence of a natural or human-induced physical event that may cause loss of life, injury, or other health impacts, as well as damage and loss to property, infrastructure, livelihoods, service provision, and environmental resources.

Heat wave (also referred to as extreme heat event)

A period of abnormally hot weather. Heat waves and warm spells have various and in some cases overlapping definitions. See also Warm spell.

Holocene

The Holocene geological epoch is the latter of two Quaternary epochs, extending from about 11.6 thousand years before present to and including the present.

Human security

Human security can be said to have two main aspects. It means, first, safety from such chronic threats as hunger, disease, and repression. And second, it means protection from sudden and hurtful disruptions in the patterns of daily life – whether in homes, in jobs, or in communities. Such threats can exist at all levels of national income and development.

Hydrological cycle (also referred to as water cycle)

The cycle in which water evaporates from the oceans and the land surface, is carried over the Earth in atmospheric circulation as water vapor, condenses to form clouds, precipitates again as rain or snow, is intercepted by trees and vegetation, provides runoff on the land surface, infiltrates into soils, recharges groundwater, and/or discharges into streams and flows out into the oceans, and ultimately evaporates again from the oceans or land surface. The various systems involved in the hydrological cycle are usually referred to as hydrological systems.

Impacts

Effects on natural and human systems. In this report, the term ‘impacts’ is used to refer to the effects on natural and human systems of physical events, of disasters, and of climate change.

Indian Ocean Dipole (IOD)

Large-scale interannual variability of sea surface temperature in the Indian Ocean. This pattern manifests through a zonal gradient of tropical sea surface temperature, which in one extreme phase in boreal autumn shows cooling off Sumatra and warming off Somalia in the west, combined with anomalous easterlies along the equator.

Insurance/reinsurance

A family of financial instruments for sharing and transferring risk among a pool of at-risk households, businesses, and/or governments. See *Risk transfer*.

Landslide

A mass of material that has moved downhill by gravity, often assisted by water when the material is saturated. The movement of soil, rock, or debris down a slope can occur rapidly, or may involve slow, gradual failure.

Land surface air temperature

The air temperature as measured in well-ventilated screens over land at 1.5 to 2 m above the ground.

Land use and land use change

Land use refers to the total of arrangements, activities, and inputs undertaken in a certain land cover type (a set of human actions). The term land use is also used in the sense of the social and economic purposes for which land is managed (e.g., grazing, timber extraction, and conservation). Land use change refers to a change in the use or management of land by humans, which may lead to a change in land cover. Land cover and land use change may have an impact on the surface albedo, evapotranspiration, sources and sinks of greenhouse gases, or other properties of the climate system and may thus have radiative forcing and/or other impacts on climate, locally or globally.

Lapse rate

The rate of change of an atmospheric variable, usually temperature, with height. The lapse rate is considered positive when the variable decreases with height.

Latent heat flux

The flux of heat from the Earth’s surface to the atmosphere that is associated with evaporation or condensation of water vapor at the surface; a component of the surface energy budget.

Likelihood

A probabilistic estimate of the occurrence of a single event or of an outcome, for example, a climate parameter, observed trend, or projected

change lying in a given range. Likelihood may be based on statistical or modeling analyses, elicitation of expert views, or other quantitative analyses.

Local disaster risk management (LDRM)

The process in which local actors (citizens, communities, government, non-profit organizations, institutions, and businesses) engage in and have ownership of the identification, analysis, evaluation, monitoring, and treatment of disaster risk and disasters, through measures that reduce or anticipate hazard, exposure, or vulnerability; transfer risk; improve disaster response and recovery; and promote an overall increase in capacities. LDRM normally requires coordination with and support from external actors at the regional, national, or international levels. Community-based disaster risk management is a subset of LDRM where community members and organizations are in the center of decisionmaking.

Mass movement

Mass movement in the context of mountainous phenomena refers to different types of mass transport processes including landslides, avalanches, rock fall, or debris flows.

Mean sea level

Sea level measured by a tide gauge with respect to the land upon which it is situated. Mean sea level is normally defined as the average relative sea level over a period, such as a month or a year, long enough to average out transients such as waves and tides. See *Sea level change*.

Meridional overturning circulation (MOC)

Meridional (north-south) overturning circulation in the ocean quantified by zonal (east-west) sums of mass transports in depth or density layers. In the North Atlantic, away from the subpolar regions, the MOC (which is in principle an observable quantity) is often identified with the thermohaline circulation, which is a conceptual interpretation. However, it must be borne in mind that MOC can also include shallower, wind-driven overturning cells such as occur in the upper ocean in the tropics and subtropics, in which warm (less dense) waters moving poleward are transformed to slightly denser waters and subducted equatorward at deeper levels.

Mitigation (of disaster risk and disaster)

The lessening of the potential adverse impacts of physical hazards (including those that are human-induced) through actions that reduce hazard, exposure, and vulnerability.

Mitigation (of climate change)

A human intervention to reduce the sources or enhance the sinks of greenhouse gases.

Modes of climate variability

Natural variability of the climate system, in particular on seasonal and longer time scales, predominantly occurs with preferred spatial patterns

and time scales, through the dynamical characteristics of the atmospheric circulation and through interactions with the land and ocean surfaces. Such patterns are often called regimes, modes, or teleconnections. Examples are the North Atlantic Oscillation (NAO), the Pacific-North American pattern (PNA), the El Niño-Southern Oscillation (ENSO), the Northern Annular Mode (NAM; previously called the Arctic Oscillation, AO), and the Southern Annular Mode (SAM; previously called the Antarctic Oscillation, AAO).

Monsoon

A monsoon is a tropical and subtropical seasonal reversal in both the surface winds and associated precipitation, caused by differential heating between a continental-scale land mass and the adjacent ocean. Monsoon rains occur mainly over land in summer.

Nonlinearity

A process is called nonlinear when there is no simple proportional relation between cause and effect. The climate system contains many such nonlinear processes, resulting in a system with a potentially very complex behavior. Such complexity may lead to abrupt climate change. See also [Predictability](#).

North Atlantic Oscillation (NAO)

The North Atlantic Oscillation consists of opposing variations in barometric pressure near Iceland and near the Azores. It therefore corresponds to fluctuations in the strength of the main westerly winds across the Atlantic into Europe, and thus to fluctuations in the embedded cyclones with their associated frontal systems.

Northern Annular Mode (NAM)

A winter fluctuation in the amplitude of a pattern characterized by low surface pressure in the Arctic and strong mid-latitude westerlies. NAM has links with the northern polar vortex into the stratosphere. Its pattern has a bias to the North Atlantic and has a large correlation with the North Atlantic Oscillation.

Pacific Decadal Oscillation (PDO)

The pattern and time series of the first empirical orthogonal function of sea surface temperature over the North Pacific north of 20°N. PDO broadened to cover the whole Pacific Basin is known as the Inter-decadal Pacific Oscillation (IPO). The PDO and IPO exhibit virtually identical temporal evolution.

Parameterization

In climate models, this term refers to the technique of representing processes that cannot be explicitly resolved at the spatial or temporal resolution of the model (sub-grid scale processes) by relationships between model-resolved larger-scale flow and the area- or time-averaged effect of such sub-grid scale processes.

Percentile

A percentile is a value on a scale of 100 that indicates the percentage

of the data set values that is equal to or below it. The percentile is often used to estimate the extremes of a distribution. For example, the 90th (10th) percentile may be used to refer to the threshold for the upper (lower) extremes.

Permafrost

Ground (soil or rock and included ice and organic material) that remains at or below 0°C for at least 2 consecutive years.

Predictability

The extent to which future states of a system may be predicted based on knowledge of current and past states of the system.

Probability density function (PDF)

A probability density function is a function that indicates the relative chances of occurrence of different outcomes of a variable. The function integrates to unity over the domain for which it is defined and has the property that the integral over a sub-domain equals the probability that the outcome of the variable lies within that sub-domain. For example, the probability that a temperature anomaly defined in a particular way is greater than zero is obtained from its PDF by integrating the PDF over all possible temperature anomalies greater than zero. Probability density functions that describe two or more variables simultaneously are similarly defined.

Projection

A projection is a potential future evolution of a quantity or set of quantities, often computed with the aid of a model. Projections are distinguished from predictions in order to emphasize that projections involve assumptions concerning, for example, future socioeconomic and technological developments that may or may not be realized, and are therefore subject to substantial uncertainty. See also [Climate projection](#) and [Climate prediction](#).

Proxy climate indicator

A proxy climate indicator is a local record that is interpreted, using physical and biophysical principles, to represent some combination of climate-related variations back in time. Climate-related data derived in this way are referred to as proxy data. Examples of proxies include pollen analysis, tree ring records, characteristics of corals, and various data derived from ice cores. The term 'proxy' can also be used to refer to indirect estimates of present-day conditions, for example, in the absence of observations.

Radiative forcing

Radiative forcing is the change in the net, downward minus upward, irradiance (expressed in W m^{-2}) at the tropopause due to a change in an external driver of climate change, such as, for example, a change in the concentration of carbon dioxide or the output of the Sun. Radiative forcing is computed with all tropospheric properties held fixed at their unperturbed values, and after allowing for stratospheric temperatures, if perturbed, to readjust to radiative-dynamical equilibrium. Radiative

forcing is called instantaneous if no change in stratospheric temperature is accounted for. For the purposes of this report, radiative forcing is further defined as the change relative to the year 1750 and, unless otherwise noted, refers to a global and annual average value. Radiative forcing is not to be confused with cloud radiative forcing, a similar terminology for describing an unrelated measure of the impact of clouds on the irradiance at the top of the atmosphere.

Reanalysis

Reanalyses are atmospheric and oceanic analyses of temperature, wind, current, and other meteorological and oceanographic quantities, created by processing past meteorological and oceanographic data using fixed state-of-the-art weather forecasting models and data assimilation techniques. Using fixed data assimilation avoids effects from the changing analysis system that occur in operational analyses. Although continuity is improved, global reanalyses still suffer from changing coverage and biases in the observing systems.

Relative sea level

See [Mean sea level](#).

Resilience

The ability of a system and its component parts to anticipate, absorb, accommodate, or recover from the effects of a hazardous event in a timely and efficient manner, including through ensuring the preservation, restoration, or improvement of its essential basic structures and functions.

Return period

An estimate of the average time interval between occurrences of an event (e.g., flood or extreme rainfall) of (or below/above) a defined size or intensity.

Return value

The highest (or, alternatively, lowest) value of a given variable, on average occurring once in a given period of time (e.g., in 10 years).

Risk transfer

The process of formally or informally shifting the financial consequences of particular risks from one party to another whereby a household, community, enterprise, or state authority will obtain resources from the other party after a disaster occurs, in exchange for ongoing or compensatory social or financial benefits provided to that other party.

Runoff

That part of precipitation that does not evaporate and is not transpired, but flows through the ground or over the ground surface and returns to bodies of water. See [Hydrological cycle](#).

Scenario

A plausible and often simplified description of how the future may develop based on a coherent and internally consistent set of assumptions about driving forces and key relationships. Scenarios may be derived

from projections, but are often based on additional information from other sources, sometimes combined with a narrative storyline. See also [Climate scenario](#) and [Emissions scenario](#).

Sea level change

Changes in sea level, globally or locally, due to (i) changes in the shape of the ocean basins, (ii) changes in the total mass and distribution of water and land ice, (iii) changes in water density, and (iv) changes in ocean circulation. Sea level changes induced by changes in water density are called steric. Density changes induced by temperature changes only are called thermosteric, while density changes induced by salinity changes are called halosteric. See also [Mean sea level](#).

Sea surface temperature (SST)

The sea surface temperature is the temperature of the subsurface bulk temperature in the top few meters of the ocean, measured by ships, buoys, and drifters. From ships, measurements of water samples in buckets were mostly switched in the 1940s to samples from engine intake water. Satellite measurements of skin temperature (uppermost layer; a fraction of a millimeter thick) in the infrared or the top centimeter or so in the microwave are also used, but must be adjusted to be compatible with the bulk temperature.

Sensible heat flux

The flux of heat from the Earth's surface to the atmosphere that is not associated with phase changes of water; a component of the surface energy budget.

Significant wave height

The average height of the highest one-third of the wave heights (trough to peak) from sea and swell occurring in a particular time period.

Soil moisture

Water stored in or at the land surface and available for evapotranspiration.

Southern Annular Mode (SAM)

The fluctuation of a pattern like the Northern Annular Mode, but in the Southern Hemisphere.

SRES scenarios

See [Emissions scenario](#).

Storm surge

The temporary increase, at a particular locality, in the height of the sea due to extreme meteorological conditions (low atmospheric pressure and/or strong winds). The storm surge is defined as being the excess above the level expected from the tidal variation alone at that time and place.

Storm tracks

Originally, a term referring to the tracks of individual cyclonic weather systems, but now often generalized to refer to the regions where the

main tracks of extratropical disturbances occur as sequences of low (cyclonic) and high (anticyclonic) pressure systems.

Streamflow

Water flow within a river channel, for example, expressed in $\text{m}^3 \text{s}^{-1}$. A synonym for river discharge.

Subsidiarity

The principle that decisions of government (other things being equal) are best made and implemented, if possible, at the lowest most decentralized level closest to the citizen. Subsidiarity is designed to strengthen accountability and reduce the dangers of making decisions in places remote from their point of application. The principle does not necessarily limit or constrain the action of higher orders of government, it merely counsels against the unnecessary assumption of responsibilities at a higher level.

Surface temperature

See Global surface temperature, Land surface air temperature, and Sea surface temperature.

Sustainable development

Development that meets the needs of the present without compromising the ability of future generations to meet their own needs.

Transpiration

The evaporation of water vapor from the surfaces of leaves through stomata.

Transformation

The altering of fundamental attributes of a system (including value systems; regulatory, legislative, or bureaucratic regimes; financial institutions; and technological or biological systems).

Tropical cyclone

The general term for a strong, cyclonic-scale disturbance that originates over tropical oceans. Distinguished from weaker systems (often named tropical disturbances or depressions) by exceeding a threshold wind speed. A tropical storm is a tropical cyclone with one-minute average surface winds between 18 and 32 m s^{-1} . Beyond 32 m s^{-1} , a tropical cyclone is called a hurricane, typhoon, or cyclone, depending on geographic location.

Uncertainty

An expression of the degree to which a value or relationship is unknown. Uncertainty can result from lack of information or from disagreement about what is known or even knowable. Uncertainty may originate from many sources, such as quantifiable errors in the data, ambiguously defined concepts or terminology, or uncertain projections of human behavior. Uncertainty can therefore be represented by quantitative measures, for example, a range of values calculated by various models, or by qualitative statements, for example, reflecting the judgment of a team of experts. See also [Likelihood](#) and [Confidence](#).

Urban heat island

The relative warmth of a city compared with surrounding rural areas, associated with changes in runoff, the concrete jungle effects on heat retention, changes in surface albedo, changes in pollution and aerosols, and so on.

Vulnerability

The propensity or predisposition to be adversely affected.

Warm days/warm nights

Days where maximum temperature, or nights where minimum temperature, exceeds the 90th percentile, where the respective temperature distributions are generally defined with respect to the 1961-1990 reference period.

Warm spell

A period of abnormally warm weather. Heat waves and warm spells have various and in some cases overlapping definitions. See also [Heat wave](#).



Acronyms

AAO	Antarctic Oscillation	GEC	global environmental change
ADAPT	Assessment & Design for Adaptation to Climate Change: A Prototype Tool	GEF	Global Environment Facility
AMO	Atlantic Multi-decadal Oscillation	GFCs	Global Framework on Climate Services
AO	Arctic Oscillation	GFDRR	Global Facility for Disaster Reduction and Recovery
AR5	Fifth Assessment Report	GHG	greenhouse gas
CAPE	Convective Available Potential Energy	GIS	geographic information system
CAT	catastrophic risk	GLOF	glacial lake outburst flood
CBA	cost-benefit analysis or community-based adaptation	GNCsODR	Global Network of Civil Society Organisations for Disaster Reduction
CBD	Convention on Biological Diversity	GPS	Global Positioning System
CBDR	common but differentiated responsibilities and respective capabilities	GSDI	Global Spatial Data Infrastructure
CBO	community-based organization	H₂O	water
CCA	climate change adaptation	HARS	Heat Action Response System
CCRIF	Caribbean Catastrophe Risk Insurance Facility	HDI	Human Development Index
CCSP	Climate Change Science Program (US)	HEP	hydroelectric power
CDD	Consecutive Dry Days	HFA	Hyogo Framework for Action
CDM	Clean Development Mechanism	HFC	hydrofluorocarbon
CEE	Centre for Environment Education	HWDI	Heat Wave Duration Index
CEI	Climate Extremes Index	HWS	Heat Warning System
C-ERA-40	Corrected ERA-40 reanalysis	IADB	Inter-American Development Bank
CFR	case fatality rate	IAM	integrated assessment model
CH₄	methane	ICSU	International Council for Science
CMIP3	Coupled Model Intercomparison Project 3	ICT	information and communication technology
CO₂	carbon dioxide	ICZM	integrated coastal zone management
COP	Conference of the Parties	IDMC	Internal Displacement Monitoring Centre
CPP	cyclone preparedness program	IDNDR	International Decade for Natural Disaster Reduction
CRED	Centre for Research on the Epidemiology of Disasters	IDP	internally displaced person
CSA	Canadian Standards Association	IDRL	International Disaster Response Law
CSO	civil society organization	IHL	international humanitarian law
CSR	corporate social responsibility	IOD	Indian Ocean Dipole
DDI	Disaster Deficit Index	IPO	Inter-decadal Pacific Oscillation
DFID	Department for International Development (UK)	IRDR	Integrated Research on Disaster Risk program
DJF	December-January-February	ISSC	International Social Science Council
DRM	disaster risk management	ITCZ	Inter-Tropical Convergence Zone
DRR	disaster risk reduction	IWRM	integrated water resource management
DRRM	disaster risk reduction management	JJA	June-July-August
EbA	ecosystem-based adaptation	LA RED	Red de Estudios Sociales en Prevención de Desastres en América Latina
EBRD	European Bank for Reconstruction and Development	LDC	least-developed country
EDI	Ethiopia Drought Index	LDCF	Least Developed Countries Fund
ELF	Emergency Liquidity Facility	LDRM	local disaster risk management
EM-DAT	Emergency Events Database	LEED	Leadership in Energy and Environmental Design
ENSO	El Niño-Southern Oscillation	LIDAR	Light Detection and Ranging
ERA-40	European Centre for Medium Range Weather Forecasts 40-year reanalysis	MDGs	Millennium Development Goals
EVT	extreme value theory	MFI	micro-finance institution
EWS	early warning system	MJO	Madden-Julian Oscillation
FAO	Food and Agriculture Organization	MLP	multi-level perspective
FONDEN	Fund for Natural Disasters	MME	Multi-Model Ensemble (CMIP3)
GAR	Global Assessment Report on Disaster Risk Reduction	MOC	meridional overturning circulation
GCM	global climate model	MPBI	Indonesian Society for Disaster Management
GDP	gross domestic product	MSLP	mean sea level pressure
		N₂O	nitrous oxide

NAM	Northern Annular Mode	SDLE	Prepare, Stay and Defend, or Leave Early
NAO	North Atlantic Oscillation	SDMP	School Disaster Management Plans
NAPA	National Adaptation Programme of Action	SECO	Swiss State Secretariat for Economic Affairs
NaTech	Natural Hazard Triggering a Technological Disaster	SF₆	sulfur hexafluoride
NDMO	National Disaster Management Office	SHELDUS	Spatial Hazard Events and Losses Database for the United States
NECJOGHA	Network of Climate Journalists of the Greater Horn of Africa	SIDS	small island developing states
NGO	nongovernmental organization	SIS	small island states
NHC	National Hurricane Committee	SMA	soil moisture anomaly
NIDM	National Disaster Management Institute	SMEs	small- and medium-sized enterprises
NMHS	national meteorological and hydrological service	SOI	Southern Oscillation Index
NTR	non-tide residuals	SPA	Strategic Priority 'Piloting an Operational Approach to Adaptation'
NU	Nunavut	SPEI	Standardized Precipitation-Evapotranspiration Index
NWP	Nairobi Work Programme	SPI	Standard Precipitation Index
NWT	Northwest Territories	SRES	Special Report on Emissions Scenarios
O₃	ozone	SST	sea surface temperature
OCHA	United Nations Office for the Coordination of Humanitarian Affairs	SWH	significant wave height
ODA	official development assistance	UN	United Nations
OECD	Organisation for Economic Co-operation and Development	UNCCD	United Nations Convention to Combat Desertification
OFDA	Office of Foreign Disaster Assistance	UNDP	United Nations Development Programme
OLR	outgoing longwave radiation	UNFCCC	United Nations Framework Convention on Climate Change
PAR	pressure and release	UNISDR	United Nations International Strategy for Disaster Reduction
PDF	probability density function	WDSI	Warm Spell Duration Index
PDO	Pacific Decadal Oscillation	WFP	World Food Programme
PDSI	Palmer Drought Severity Index	WHO	World Health Organization
PESETA	Projection of Economic impacts of climate change in Sectors of the European Union based on bottom-up Analysis	WMO	World Meteorological Organization
PFC	perfluorocarbon	YT	Yukon Territory
PICs	Pacific Island Countries and Territories		
PNA	Pacific North American pattern		
POPs	persistent organic pollutants		
PPEA	Precipitation Potential Evaporation Anomaly		
PPP	public-private partnership		
Pr	precipitation		
PSNP	Productive Safety Net Programme		
PTSD	post-traumatic stress disorder		
PVI	Prevalent Vulnerability Index		
RAC	Regional Adaptation Collaborative		
RANET	RAdio and InterNET		
RCM	regional climate model		
REDD	reduced carbon emissions from deforestation and forest degradation		
REDD+	reduced carbon emissions from deforestation and forest degradation, maintaining/enhancing carbon stocks, and promoting sustainable forest management		
RMI	Republic of the Marshall Islands		
SAM	Southern Annular Mode		
SAMS	South American Monsoon System		
SCCF	Special Climate Change Fund		

ANNEX IV

List of Major IPCC Reports

Climate Change: The IPCC Scientific Assessment

Report of the IPCC Scientific Assessment Working Group
1990

Climate Change: The IPCC Impacts Assessment

Report of the IPCC Impacts Assessment Working Group
1990

Climate Change: The IPCC Response Strategies

Report of the IPCC Response Strategies Working Group
1990

Climate Change 1992: The Supplementary Report to the IPCC Scientific Assessment

Report of the IPCC Scientific Assessment Working Group
1992

Climate Change 1992: The Supplementary Report to the IPCC Impacts Assessment

Report of the IPCC Impacts Assessment Working Group
1992

Climate Change: The IPCC 1990 and 1992 Assessments – IPCC First Assessment Report Overview and Policymaker Summaries, and 1992 IPCC Supplement

1992

Climate Change 1994: Radiative Forcing of Climate Change and an Evaluation of the IPCC IS92 Emission Scenarios

IPCC Special Report
1994

Climate Change 1995: The Science of Climate Change

Contribution of Working Group I
to the IPCC Second Assessment Report
1996

Climate Change 1995: Impacts, Adaptations, and Mitigation of Climate Change: Scientific-Technical Analyses

Contribution of Working Group II
to the IPCC Second Assessment Report
1996

Climate Change 1995: Economic and Social Dimensions of Climate Change

Contribution of Working Group III
to the IPCC Second Assessment Report
1996

Climate Change 1995: IPCC Second Assessment Synthesis of Scientific-Technical Information Relevant to Interpreting Article 2 of the UN Framework Convention on Climate Change

1996

Technologies, Policies, and Measures for Mitigating Climate Change

IPCC Technical Paper I
1996

An Introduction to Simple Climate Models used in the IPCC Second Assessment Report

IPCC Technical Paper II
1997

Stabilization of Atmospheric Greenhouse Gases: Physical, Biological, and Socio-Economic Implications

IPCC Technical Paper III
1997

Implications of Proposed CO₂ Emissions Limitations

IPCC Technical Paper IV
1997

The Regional Impacts of Climate Change

IPCC Special Report
1998

Aviation and the Global Atmosphere

IPCC Special Report
1999

Methodological and Technological Issues in Technology Transfer

IPCC Special Report
2000

Land Use, Land-Use Change, and Forestry

IPCC Special Report
2000

Emissions Scenarios

IPCC Special Report
2000

Climate Change 2001: The Scientific Basis

Contribution of Working Group I
to the IPCC Third Assessment Report
2001

Climate Change 2001: Impacts, Adaptation, and Vulnerability

Contribution of Working Group II
to the IPCC Third Assessment Report
2001

Climate Change 2001: Mitigation

Contribution of Working Group III
to the IPCC Third Assessment Report
2001

Climate Change 2001: IPCC Third Assessment Synthesis Report
2001

Climate Change and Biodiversity
IPCC Technical Paper V
2002

**Safeguarding the Ozone Layer and the Global Climate System:
Issues Related to Hydrofluorocarbons and Perfluorocarbons**
IPCC Special Report
2005

Carbon Dioxide Capture and Storage
IPCC Special Report
2005

Climate Change 2007: The Physical Science Basis
Contribution of Working Group I
to the IPCC Fourth Assessment Report
2007

Climate Change 2007: Impacts, Adaptation, and Vulnerability
Contribution of Working Group II
to the IPCC Fourth Assessment Report
2007

Climate Change 2007: Mitigation of Climate Change
Contribution of Working Group III
to the IPCC Fourth Assessment Report
2007

Climate Change 2007: Synthesis Report
2008

Climate Change and Water
IPCC Technical Paper VI
2008

Renewable Energy Sources and Climate Change Mitigation
IPCC Special Report
2011

**Managing the Risks of Extreme Events and Disasters
to Advance Climate Change Adaptation**
IPCC Special Report
2012

Enquiries: IPCC Secretariat, c/o World Meteorological Organization, 7 bis, Avenue
de la Paix, Case Postale 2300, CH - 1211 Geneva 2, Switzerland

